

# Material Safety Data Sheet

---

## Section 1 General Information

---

**Manufacturer:**

Rust-Oleum Corporation

11 Hawthorn Parkway

Vernon Hills, IL 60061

**24 Hour Assistance: 1-847-367-7700**[www.rustoleum.com](http://www.rustoleum.com)**Date: April 10, 2009****Product Name: Zinsser Jomax Mold & Mildew Stain Remover****Codes: 60118 60119**

---

## Section 2 Hazardous Ingredients

---

<u>Hazardous Component</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Sodium Hypochlorite (as NaOCl)	7681-52-9	0.5 ppm (TWA), 1ppm (STEL)	1 ppm (TWA), 3 ppm (STEL)

---

## Section 3 Hazard Identification

---

**Emergency Overview:** Warning: May be harmful if swallowed or inhaled. May cause irritation to eyes and respiratory tract. May cause substantial but temporary eye injury. This material is used as a mildew stain cleaner. It is a clear yellow liquid with a slight chlorine like odor.

**Primary Routes of Exposure:**

Skin Contact

Eye Contact

Inhalation

**Potential Acute Health Effects:****Eye:** Contact may cause severe irritation and damage, especially at higher concentration**Skin:** May irritate skin**Ingestion:** May cause nausea, vomiting.**Inhalation:** May cause irritation to the respiratory tract, (nose and throat); symptoms may include coughing and sore throat.

---

N/A: Not Applicable    N/D: Not Determined    N/E: Not Established    N/R: Not Required    Est.: Estimated

---

### **Potential Chronic Health Effects:**

**Signs and Symptoms:** Irritant to the eyes, nose and throat.

**Aggravation of Pre-existing Conditions:** Persons with impaired respiratory function, or heart disorders (or disease) may be more susceptible to the effects of the substance.

(See also Sections 4, 8, and 11 for related information)

---

## **Section 4 First Aid Measures**

---

**Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

**Skin contact:** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.

**Ingestion:** If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention immediately. Give large quantities of water. Never give anything by mouth to an unconscious person.

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

**Note to Physician:** Consider oral administration of sodium thiosulfate solutions if sodium hypochlorite is ingested. Administer neutralizing substances can result in an exothermic reaction that could further damage tissue. Endotracheal intubation could be needed if glottic edema compromises the airway. For individuals with significant inhalation exposure, monitor arterial blood gases and chest x-ray.

---

## **Section 5 Fire Fighting Measures**

---

**Flash Point (method):** Non Flammable

**Fire:** Not considered to be a fire hazard. This material can release oxygen when heated, which may increase the severity of an existing fire. Containers may rupture from pressure build-up.

**Explosion:** This solution is not considered to be an explosion hazard.

**Fire Extinguishing Media:** Use any means suitable for extinguishing surrounding fire. Use water spray to cool fire-exposed containers, to dilute liquid, and control vapor.

---

N/A: Not Applicable    N/D: Not Determined    N/E: Not Established    N/R: Not Required    Est.: Estimated

---

**Special Information:** In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

---

## Section 6 Accidental Release Measures

---

**Clean Up Methods:** Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Collect liquid in an appropriate container or absorb with an inert material (e.g. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to sewer! US regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

(See also Section 8 for information on Exposure Controls and Personal Protective Equipment)

---

## Section 7 Handling and Storage

---

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

---

## Section 8 Exposure Controls / Personal Protection

---

**Engineering Controls:** A system of local and/or general exhaust is recommended to keep employee exposures below applicable Occupational Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A manual of Recommended Practices, most recent edition, for further information.

### **Personal Protective Equipment (PPE):**

**Eye Protection:** Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

**Skin Protection:** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact

---

N/A: Not Applicable    N/D: Not Determined    N/E: Not Established    N/R: Not Required    Est.: Estimated

---

**Respiratory Protection:** If the occupational exposure limit is exceeded and engineering controls are not feasible, a full facepiece respirator with an acid gas cartridge may be worn up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. **WARNING:** Air purifying respirators do not protect workers in oxygen-deficient atmospheres.

---

## Section 9 Physical Data

---

<b>Appearance:</b> Colorless to yellowish liquid	<b>Odor:</b> underlying bleach like odor
<b>Physical State:</b> Liquid	<b>pH:</b> 9 - 10
<b>Boiling Point:</b> 40C (104F)	<b>Melting Point:</b> N/A
<b>Vapor Pressure:</b> 17.5 @ 20C (68F)	<b>Vapor Density:</b> N/A
<b>Viscosity:</b> < 10 cps	<b>Solubility in Water:</b> 100%
<b>Specific Gravity (water = 1):</b> N/D	

---

## Section 10 Stability and Reactivity

---

**Stability:** Stable. Note: This material slowly decomposes on contact with air. The rate increases with the concentration and temperature. Exposure to sunlight accelerates decomposition. Sodium hypochlorite becomes less toxic with age.

**Hazardous Polymerization:** Will not occur

**Hazardous Decomposition Products:** Oxides of carbon. Can emit chlorine gas when heated to decomposition. Sodium oxide at high temperatures

**Conditions to Avoid:** Excessive heat. Light, heat, and incompatible materials

**Incompatibility:** Acids, ammonia, oxidizing and reducing agents, amines, ammonium salts, aziridine, methanol, phenyl acetonitrile, cellulose, ethyleneimine, oxidizable metals, acids, soaps, and bisulfate's.

---

## Section 11 Toxicological Information

---

**Carcinogenicity:** Components regulated by IARG, NTP, or OSHA as carcinogen:

IARC = None      NTP = None      OSHA = None  
(See also Section 15 for related information)

---

N/A: Not Applicable    N/D: Not Determined    N/E: Not Established    N/R: Not Required    Est.: Estimated

---

---

## Section 12 Ecological Information

---

**Chemical Fate and Effects:** No information

---

## Section 13 Disposal Considerations

---

**RCRA Hazardous Waste:** No

**Recommended Waste Disposal Method:** Dilute with water and flush to sewer if local ordinances allow, otherwise, whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

---

## Section 14 Transportation Information

---

**Regulated by the DOT:** NOT REGULATED

DOT Proper Shipping Name: N/A                      **UN / NA Number:** N/A

**Hazard Class:** N/A                                      **Packing Group:** N/A

---

## Section 15 Regulatory Information

---

**CERCLA:**

The Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification to the National Response Center for releases of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQs) in 40 CFR 302.4 (for CERCLA 102).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u>	<u>CAS#</u>	<u>Maximum Concentration (Wt. %)</u>
None	N/A	N/A

**SARA Title III, section 311/312:**

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355 (used for SARA 302, 304, 311 and 312).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u>	<u>CAS#</u>	<u>Maximum Concentration (Wt. %)</u>
None	N/A	N/A

---

N/A: Not Applicable    N/D: Not Determined    N/E: Not Established    N/R: Not Required    Est.: Estimated

---

