

89





MATERIAL SAFETY DATA SHEET

FLORACRAFT GOLD GLITTER (8-3PK)

| | | | |
|---|-------------------|--|-------------------------|
| 1. Product And Company Identification | | | |
| Supplier Chase_Products_Co. 19th and Gardner Road Broadview, IL 60155 USA Company Contact: Aludia Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com | | Manufacturer Chase_Products_Co. 19th and Gardner Road Broadview, IL 60155 USA Company Contact: Aludia Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com | |
| Supplier Emergency Contacts & Phone Number None Given | | Manufacturer Emergency Contacts & Phone Number None Given | |
| Issue Date: 10/15/2001 Product Name: FLORACRAFT GOLD GLITTER (8-3PK) Chemical Name: 7-7713-1 CAS Number: Not Established MSDS Number: 1152 Product Code: 496-4951 Product/Material Uses - Glitter Spray | | | |
| 2. Composition/Information On Ingredients | | | |
| | Ingredient Name | CAS Number | Percent Of Total Weight |
| | HEPTANE | 142-82-5 | |
| | ISOBUTANE | 75-28-5 | |
| | ISOPROPYL ALCOHOL | 67-63-0 | |
| | PROPANE | 74-98-6 | |
| The ingredients listed on this section are only the hazardous components of the product. | | | |
| 3. Hazards Identification | | | |
| <p>Primary Routes(s) Of Entry - Ingestion (possible, but considered unlikely), eye contact, skin contact, inhalation.</p> <p>Eye Hazards - Causes eye irritation.</p> <p>Skin Hazards - May cause skin irritation after prolonged contact with skin.</p> <p>Ingestion Hazards - This is an aerosol product, ingestion is unlikely to occur.</p> <p>Inhalation Hazards - Deliberate inhalation of concentrate vapor or mist may cause headaches and dizziness.</p> <p>Chronic/Carcinogenicity Effects - Not known chronic effects based on available data. None of the ingredients on this product are listed as carcinogenic by NTP, IARC or OSHA.</p> <p>Epidemiology - None known</p> <p>Teratogenicity (Birth Defects) - None known</p> <p>Reproductive Effects - None known</p> <p>Neurotoxicity - None known</p> <p>Mutagenicity (Genetic Effect) - None known</p> <p>Signs And Symptoms - Acute: Deliberate inhalation of concentrate vapor or mist may cause headaches and dizziness. Prolonged and repeated contact with the skin may cause irritation. Irritant to eyes.</p> | | | |

MATERIAL SAFETY DATA SHEET**FLORACRAFT GOLD GLITTER (8-3PK)**

| | |
|---|--|
| 3. Hazards Identification - Continued | |
| <u>Conditions Aggravated By Exposure</u> - May aggravate pre-existing skin, eye and respiratory disorders. | |
| <u>Conditions Aggravated By Overexposure</u> - May aggravate pre-existing skin, eye and respiratory disorders. | |
| First Aid (Pictograms) | |
|  | |
| 4. First Aid Measures | |
| <u>Eye</u> - Flush from eyes with plenty of water. | |
| <u>Skin</u> - Wash skin with soap and water. | |
| <u>Ingestion</u> - Ingestion from an aerosol product is unlikely to occur. | |
| <u>Inhalation</u> - If overcome by vapor move victim to fresh air. If injury develops, consult a physician. | |
| 5. Fire Fighting Measures | |
| Flash Point: Not available °F Not available °C | |
| Flash Point Method: Not available | |
| Lower Explosive Limit: Not available | |
| Upper Explosive Limit: Not available | |
| <u>Fire And Explosion Hazards</u> - This product is an aerosol product for which Flame Projection is 18 in. with flashback. Temperatures above 120 F may cause cans to burst. | |
| <u>Extinguishing Media</u> - Use CO2 (Carbon Dioxide), dry chemical, or water fog. | |
| <u>Fire Fighting Instructions</u> - Water spray may be used to cool cans in the vicinity of fire or excessive heat. | |
| 6. Accidental Release Measures | |
| Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material. | |
| Handling & Storage (Pictograms) | |
|  | |
| 7. Handling And Storage | |
| <u>Handling And Storage Precautions</u> - Handle as an extremely flammable material. Store in a cool, dry place away from heat and open flame. | |
| <u>Handling Precautions</u> - Avoid getting spray into eyes. Keep out of reach of children. | |
| <u>Storage Precautions</u> - Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity). AEROSOL STORAGE LEVEL III (NFPA-30B) | |
| <u>Work/Hygienic Practices</u> - Wash thoroughly after handling. | |
| 8. Exposure Controls/Personal Protection | |
| <u>Engineering Controls</u> - Use with adequate general and local exhaust ventilation. | |
| <u>Eye/Face Protection</u> - Conventional eyeglasses to guard against splashing. | |
| <u>Skin Protection</u> - None required | |
| <u>Respiratory Protection</u> - Use in well-ventilated area ONLY. When using indoors, keep windows and doors open until fumes dissipate. | |
| <u>Other/General Protection</u> - None required. | |

MATERIAL SAFETY DATA SHEET


FLORACRAFT GOLD GLITTER (8-3PK)

| | |
|--|--|
| 8. Exposure Controls/Personal Protection - Continued | |
| <u>Ingredient(s) - Exposure Limits</u> HEPTANE ACGIH TLV-STEL 500 ppm ; ACGIH TLV-TWA 400 ppm ; OSHA PEL-TWA 500 ppm ISOPROPYL ALCOHOL ACGIH TLV-STEL 500 ppm (Notice of Intended Change) ; ACGIH TLV-STEL 400 ppm (Proposed) ; ACGIH TLV-TWA 400 ppm (Notice of Intended Change) ACGIH TLV-TWA 200 ppm (Proposed) ; OSHA PEL-TWA 400 ppm PROPANE ACGIH TLV-TWA 2500 ppm ; OSHA PEL-TWA 1,000 ppm | |
| 9. Physical And Chemical Properties | |
| Appearance - Fine, colored, plastic material suspended in organic solvent. Odor - Solvent odor. Chemical Type: Mixture Physical State: Liquid Melting Point: Not applicable °F Not applicable °C Boiling Point: Isopropyl alcohol 180 °F Isopropyl alcohol 82.3 °C Specific Gravity: 0.73 (concentrate) Percent VOCs: 97.41% Solubility: Soluble in water Evaporation Rate: Faster than butyl acetate | |
| 10. Stability And Reactivity | |
| Stability: Stable Hazardous Polymerization: Will not occur Conditions To Avoid (Stability) - Temperatures above 120 F Incompatible Materials - Avoid heat, open flame and contact with strong oxidizers. Hazardous Decomposition Products - Thermal decomposition may yield gases like carbon monoxide and carbon dioxide. Conditions To Avoid (Polymerization) - Temperatures above 120 F | |
| 11. Toxicological Information | |
| No Data Available... | |
| 12. Ecological Information | |
| No Data Available... | |
| 13. Disposal Considerations | |
| Wrap empty container in newspaper and dispose of it in non-incinerated trash only. | |
| 14. Transport Information | |
| Proper Shipping Name - ORM-D Consumer Commodity DOT Identification Number UN1950 DOT Shipping Label Aerosol Consumer Commodity | |

MATERIAL SAFETY DATA SHEET

FLORACRAFT GOLD GLITTER (8-3PK)

| | |
|--|--|
| 15. Regulatory Information | |
| U.S. Regulatory Information - All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. | |
| SARA Hazard Classes Acute Health Hazard; Fire Hazard | |
| SARA Section 313 Notification - This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372. | |
| Ingredient(s) - State Regulations | |
| HEPTANE New Jersey - Workplace Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance | |
| ISOBUTANE New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance | |
| ISOPROPYL ALCOHOL New Jersey - Workplace Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance | |
| PROPANE New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance | |

| | | | | | | | | | | |
|---|--|--------|---|--------------|---|------------|---|---------------------|---|--|
| NFPA | HMIS | | | | | | | | | |
|  | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #cccccc;">HEALTH</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #cccccc;">FLAMMABILITY</td> <td style="text-align: center;">4</td> </tr> <tr> <td style="background-color: #cccccc;">REACTIVITY</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #cccccc;">PERSONAL PROTECTION</td> <td style="text-align: center;">A</td> </tr> </table> | HEALTH | 1 | FLAMMABILITY | 4 | REACTIVITY | 1 | PERSONAL PROTECTION | A | |
| HEALTH | 1 | | | | | | | | | |
| FLAMMABILITY | 4 | | | | | | | | | |
| REACTIVITY | 1 | | | | | | | | | |
| PERSONAL PROTECTION | A | | | | | | | | | |

| | |
|--|--|
| 16. Other Information | |
| Revision/Preparer Information This MSDS Supersedes A Previous MSDS Dated: 11/13/2000 | |

| | |
|---|--|
| Disclaimer | |
| <p>Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).</p> <p>Chase_Products_Co.</p> | |

Printed Using MSDS Generator™ 2000

89.6





MATERIAL SAFETY DATA SHEET

FLORACRAFT OPAL GLITTER (8-3PK)

| | | | |
|---|--|--|-------------------------|
| 1. Product And Company Identification | | | |
| Supplier Chase_Products_Co. 19th and Gardner Road Broadview, IL 60155 USA Company Contact: Aludia Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com | | Manufacturer Chase_Products_Co. 19th and Gardner Road Broadview, IL 60155 USA Company Contact: Aludia Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com | |
| Supplier Emergency Contacts & Phone Number None Given | | Manufacturer Emergency Contacts & Phone Number None Given | |
| Issue Date: 10/15/2001 Product Name: FLORACRAFT OPAL GLITTER (8-3PK) Chemical Name: 7-7701 CAS Number: Not Established MSDS Number: 1153 Product Code: 496-4952 Product/Material Uses - Glitter Spray | | | |
| 2. Composition/Information On Ingredients | | | |
| Ingredient Name | | CAS Number | Percent Of Total Weight |
| HEPTANE | | 142-92-5 | |
| ISOBUTANE | | 75-28-5 | |
| ISOPROPYL ALCOHOL | | 67-63-0 | |
| PROPANE | | 74-98-6 | |
| The ingredients listed on this section are only the hazardous components of the product. | | | |
| 3. Hazards Identification | | | |
| <p>Primary Routes(s) Of Entry - Ingestion (possible, but considered unlikely), eye contact, skin contact, inhalation.</p> <p>Eye Hazards - Causes eye irritation.</p> <p>Skin Hazards - May cause skin irritation after prolonged contact with skin.</p> <p>Ingestion Hazards - This is an aerosol product, ingestion is unlikely to occur.</p> <p>Inhalation Hazards - Deliberate inhalation of concentrate vapor or mist may cause headaches and dizziness.</p> <p>Chronic/Carcinogenicity Effects - Not known chronic effects based on available data. None of the ingredients on this product are listed as carcinogenic by NTP, IARC or OSHA.</p> <p>Epidemiology - None known</p> <p>Teratogenicity (Birth Defects) - None known</p> <p>Reproductive Effects - None known</p> <p>Neurotoxicity - None known</p> <p>Mutagenicity (Genetic Effect) - None known</p> <p>Signs And Symptoms - Acute: Deliberate inhalation of concentrate vapor or mist may cause headaches and dizziness. Prolonged and repeated contact with the skin may cause irritation. Irritant to eyes.</p> | | | |

MATERIAL SAFETY DATA SHEET

FLORACRAFT OPAL GLITTER (8-3PK)

| | |
|---|--|
| 3. Hazards Identification - Continued | |
| <u>Conditions Aggravated By Exposure</u> - May aggravate pre-existing skin, eye and respiratory disorders. | |
| <u>Conditions Aggravated By Overexposure</u> - May aggravate pre-existing skin, eye and respiratory disorders. | |
| First Aid (Pictograms) | |
|  | |
| 4. First Aid Measures | |
| <u>Eye</u> - Flush from eyes with plenty of water. | |
| <u>Skin</u> - Wash skin with soap and water. | |
| <u>Ingestion</u> - Ingestion from an aerosol product is unlikely to occur. | |
| <u>Inhalation</u> - If overcome by vapor move victim to fresh air. If injury develops, consult a physician. | |
| 5. Fire Fighting Measures | |
| <u>Flash Point</u> : Not available °F Not available °C | |
| <u>Flash Point Method</u> : Not available | |
| <u>Lower Explosive Limit</u> : Not available | |
| <u>Upper Explosive Limit</u> : Not available | |
| <u>Fire And Explosion Hazards</u> - This product is an aerosol product for which Flame Projection is 18 in. with flashback. Temperatures above 120 F may cause cans to burst. | |
| <u>Extinguishing Media</u> - Use CO2 (Carbon Dioxide), dry chemical, or water fog. | |
| <u>Fire Fighting Instructions</u> - Water spray may be used to cool cans in the vicinity of fire or excessive heat. | |
| 6. Accidental Release Measures | |
| Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material. | |
| Handling & Storage (Pictograms) | |
|  | |
| 7. Handling And Storage | |
| <u>Handling And Storage Precautions</u> - Handle as an extremely flammable material. Store in a cool, dry place away from heat and open flame. | |
| <u>Handling Precautions</u> - Avoid getting spray into eyes. Keep out of reach of children. | |
| <u>Storage Precautions</u> - Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity). AEROSOL STORAGE LEVEL III (NFPA-30B) | |
| <u>Work/Hygienic Practices</u> - Wash thoroughly after handling. | |
| 8. Exposure Controls/Personal Protection | |
| <u>Engineering Controls</u> - Use with adequate general and local exhaust ventilation. | |
| <u>Eye/Face Protection</u> - Conventional eyeglasses to guard against splashing. | |
| <u>Skin Protection</u> - None required | |
| <u>Respiratory Protection</u> - Use in well-ventilated area ONLY. When using indoors, keep windows and doors open until fumes dissipate. | |
| <u>Other/General Protection</u> - None required. | |

MATERIAL SAFETY DATA SHEET


FLORACRAFT OPAL GLITTER (8-3PK)

| | |
|--|--|
| 8. Exposure Controls/Personal Protection - Continued | |
| <u>Ingredient(s) - Exposure Limits</u> HEPTANE ACGIH TLV-STEL 500 ppm ; ACGIH TLV-TWA 400 ppm ; OSHA PEL-TWA 500 ppm ISOPROPYL ALCOHOL ACGIH TLV-STEL 500 ppm (Notice of Intended Change) ; ACGIH TLV-STEL 400 ppm (Proposed) ; ACGIH TLV-TWA 400 ppm (Notice of Intended Change) ACGIH TLV-TWA 200 ppm (Proposed) ; OSHA PEL-TWA 400 ppm PROPANE ACGIH TLV-TWA 2500 ppm ; OSHA PEL-TWA 1,000 ppm | |
| 9. Physical And Chemical Properties | |
| <u>Appearance</u> - Fine, colored, plastic material suspended in organic solvent. <u>Odor</u> - Solvent odor. Chemical Type: Mixture Physical State: Liquid Melting Point: Not applicable °F Not applicable °C Boiling Point: Isopropyl alcohol 180 °F Isopropyl alcohol 82.3 °C Specific Gravity: 0.73 (concentrate) Percent VOCs: 97.41% Solubility: Soluble in water Evaporation Rate: Faster than butyl acetate | |
| 10. Stability And Reactivity | |
| Stability: Stable Hazardous Polymerization: Will not occur <u>Conditions To Avoid (Stability)</u> - Temperatures above 120 F <u>Incompatible Materials</u> - Avoid heat, open flame and contact with strong oxidizers. <u>Hazardous Decomposition Products</u> - Thermal decomposition may yield gases like carbon monoxide and carbon dioxide. <u>Conditions To Avoid (Polymerization)</u> - Temperatures above 120 F | |
| 11. Toxicological Information | |
| No Data Available... | |
| 12. Ecological Information | |
| No Data Available... | |
| 13. Disposal Considerations | |
| Wrap empty container in newspaper and dispose of it in non-incinerated trash only. | |
| 14. Transport Information | |
| <u>Proper Shipping Name</u> - ORM-D Consumer Commodity <u>DOT Identification Number</u> UN1950 <u>DOT Shipping Label</u> Aerosol Consumer Commodity | |

MATERIAL SAFETY DATA SHEET

FLORACRAFT OPAL GLITTER (8-3PK)

| | |
|---|--|
| 15. Regulatory Information | |
| <p>U.S. Regulatory Information - All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.</p> | |
| <p>SARA Hazard Classes Acute Health Hazard; Fire Hazard</p> | |
| <p>SARA Section 313 Notification - This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.</p> | |
| <p>Ingredient(s) - State Regulations</p> <p>HEPTANE New Jersey - Workplace Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance</p> <p>ISOBUTANE New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance</p> <p>ISOPROPYL ALCOHOL New Jersey - Workplace Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance</p> <p>PROPANE New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance</p> | |

| | | | | | | | | | | |
|--|---|--------|---|--------------|---|------------|---|---------------------|---|--|
| <p>NFPA</p>  | <p>HMIS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #cccccc;">HEALTH</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #cccccc;">FLAMMABILITY</td> <td style="text-align: center;">4</td> </tr> <tr> <td style="background-color: #cccccc;">REACTIVITY</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #cccccc;">PERSONAL PROTECTION</td> <td style="text-align: center;">A</td> </tr> </table> | HEALTH | 1 | FLAMMABILITY | 4 | REACTIVITY | 1 | PERSONAL PROTECTION | A | |
| HEALTH | 1 | | | | | | | | | |
| FLAMMABILITY | 4 | | | | | | | | | |
| REACTIVITY | 1 | | | | | | | | | |
| PERSONAL PROTECTION | A | | | | | | | | | |

| | |
|--|--|
| 16. Other Information | |
| <p>Revision/Preparer Information This MSDS Supersedes A Previous MSDS Dated: 11/13/2000</p> | |

| | |
|--|--|
| Disclaimer | |
| <p>Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).</p> <p>Chase_Products_Co.</p> | |

Printed Using MSDS Generator™ 2000





MATERIAL SAFETY DATA SHEET

FLORACRAFT SILVER GLITTER (8-3PK)

| | | | |
|--|--|--|-------------------------|
| 1. Product And Company Identification | | | |
| Supplier Chase_Products_Co. 19th and Gardner Road Broadview, IL 60155 USA Company Contact: Aludia Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com | | Manufacturer Chase_Products_Co. 19th and Gardner Road Broadview, IL 60155 USA Company Contact: Aludia Hernandez Telephone Number: 708-865-1000 FAX Number: 708-865-0923 E-Mail: sales@chaseproducts.com Web Site: www.chaseproducts.com | |
| Supplier Emergency Contacts & Phone Number None Given | | Manufacturer Emergency Contacts & Phone Number None Given | |
| Issue Date: 10/15/2001 Product Name: FLORACRAFT SILVER GLITTER (8-3PK) Chemical Name: 7-7714-1 CAS Number: Not Established MSDS Number: 1156 Product Code: 496-4956 Product/Material Uses - Glitter Spray | | | |
| 2. Composition/Information On Ingredients | | | |
| Ingredient Name | | CAS Number | Percent Of Total Weight |
| HEPTANE | | 142-82-5 | |
| ISOBUTANE | | 75-28-5 | |
| ISOPROPYL ALCOHOL | | 67-63-0 | |
| PROPANE | | 74-98-6 | |
| The ingredients listed on this section are only the hazardous components of the product. | | | |
| 3. Hazards Identification | | | |
| Primary Routes(s) Of Entry - Ingestion (possible, but considered unlikely), eye contact, skin contact, inhalation. Eye Hazards - Causes eye irritation. Skin Hazards - May cause skin irritation after prolonged contact with skin. Ingestion Hazards - This is an aerosol product, ingestion is unlikely to occur. Inhalation Hazards - Deliberate inhalation of concentrate vapor or mist may cause headaches and dizziness. Chronic/Carcinogenicity Effects - Not known chronic effects based on available data. None of the ingredients on this product are listed as carcinogenic by NTP, IARC or OSHA. Epidemiology - None known Teratogenicity (Birth Defects) - None known Reproductive Effects - None known Neurotoxicity - None known Mutagenicity (Genetic Effect) - None known Signs And Symptoms - Acute: Deliberate inhalation of concentrate vapor or mist may cause headaches and dizziness. Prolonged and repeated contact with the skin may cause irritation. Irritant to eyes. | | | |

MATERIAL SAFETY DATA SHEET

FLORACRAFT SILVER GLITTER (8-3PK)

| | |
|---|--|
| 3. Hazards Identification - Continued | |
| <u>Conditions Aggravated By Exposure</u> - May aggravate pre-existing skin, eye and respiratory disorders. | |
| <u>Conditions Aggravated By Overexposure</u> - May aggravate pre-existing skin, eye and respiratory disorders. | |
| First Aid (Pictograms) | |
|  | |
| 4. First Aid Measures | |
| <u>Eye</u> - Flush from eyes with plenty of water. | |
| <u>Skin</u> - Wash skin with soap and water. | |
| <u>Ingestion</u> - Ingestion from an aerosol product is unlikely to occur. | |
| <u>Inhalation</u> - If overcome by vapor move victim to fresh air. If injury develops, consult a physician. | |
| 5. Fire Fighting Measures | |
| <u>Flash Point</u> : Not available °F Not available °C | |
| <u>Flash Point Method</u> : Not available | |
| <u>Lower Explosive Limit</u> : Not available | |
| <u>Upper Explosive Limit</u> : Not available | |
| <u>Fire And Explosion Hazards</u> - This product is an aerosol product for which Flame Projection is 18 in. with flashback. Temperatures above 120 F may cause cans to burst. | |
| <u>Extinguishing Media</u> - Use CO2 (Carbon Dioxide), dry chemical, or water fog. | |
| <u>Fire Fighting Instructions</u> - Water spray may be used to cool cans in the vicinity of fire or excessive heat. | |
| 6. Accidental Release Measures | |
| Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material. | |
| Handling & Storage (Pictograms) | |
|  | |
| 7. Handling And Storage | |
| <u>Handling And Storage Precautions</u> - Handle as an extremely flammable material. Store in a cool, dry place away from heat and open flame. | |
| <u>Handling Precautions</u> - Avoid getting spray into eyes. Keep out of reach of children. | |
| <u>Storage Precautions</u> - Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity). AEROSOL STORAGE LEVEL III (NFPA-30B) | |
| <u>Work/Hygienic Practices</u> - Wash thoroughly after handling. | |
| 8. Exposure Controls/Personal Protection | |
| <u>Engineering Controls</u> - Use with adequate general and local exhaust ventilation. | |
| <u>Eye/Face Protection</u> - Conventional eyeglasses to guard against splashing. | |
| <u>Skin Protection</u> - None required | |
| <u>Respiratory Protection</u> - Use in well-ventilated area ONLY. When using indoors, keep windows and doors open until fumes dissipate. | |
| <u>Other/General Protection</u> - None required. | |

MATERIAL SAFETY DATA SHEET


FLORACRAFT SILVER GLITTER (8-3PK)

| | |
|--|--|
| 8. Exposure Controls/Personal Protection - Continued | |
| Ingredient(s) - Exposure Limits | |
| HEPTANE ACGIH TLV-STEL 500 ppm ; ACGIH TLV-TWA 400 ppm ; OSHA PEL-TWA 500 ppm | |
| ISOPROPYL ALCOHOL ACGIH TLV-STEL 500 ppm (Notice of Intended Change) ; ACGIH TLV-STEL 400 ppm (Proposed) ; ACGIH TLV-TWA 400 ppm (Notice of Intended Change) ACGIH TLV-TWA 200 ppm (Proposed) ; OSHA PEL-TWA 400 ppm | |
| PROPANE ACGIH TLV-TWA 2500 ppm ; OSHA PEL-TWA 1,000 ppm | |
| 9. Physical And Chemical Properties | |
| Appearance - Fine, colored, plastic material suspended in organic solvent. Odor - Solvent odor. | |
| Chemical Type: Mixture Physical State: Liquid Melting Point: Not applicable °F Not applicable °C Boiling Point: Isopropyl alcohol 180 °F Isopropyl alcohol 82.3 °C Specific Gravity: 0.73 (concentrate) Percent VOCs: 97.41% Solubility: Soluble in water Evaporation Rate: Faster than butyl acetate | |
| 10. Stability And Reactivity | |
| Stability: Stable Hazardous Polymerization: Will not occur | |
| Conditions To Avoid (Stability) - Temperatures above 120 F Incompatible Materials - Avoid heat, open flame and contact with strong oxidizers. Hazardous Decomposition Products - Thermal decomposition may yield gases like carbon monoxide and carbon dioxide. Conditions To Avoid (Polymerization) - Temperatures above 120 F | |
| 11. Toxicological Information | |
| No Data Available... | |
| 12. Ecological Information | |
| No Data Available... | |
| 13. Disposal Considerations | |
| Wrap empty container in newspaper and dispose of it in non-incinerated trash only. | |
| 14. Transport Information | |
| Proper Shipping Name - ORM-D Consumer Commodity DOT Identification Number UN1950 DOT Shipping Label Aerosol Consumer Commodity | |

MATERIAL SAFETY DATA SHEET

FLORACRAFT SILVER GLITTER (8-3PK)

| | |
|---|--|
| <p>15. Regulatory Information</p> <p><u>U.S. Regulatory Information</u> - All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.</p> <p><u>SARA Hazard Classes</u> Acute Health Hazard; Fire Hazard</p> <p><u>SARA Section 313 Notification</u> - This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.</p> <p><u>Ingredient(s) - State Regulations</u></p> <p>HEPTANE New Jersey - Workplace Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance</p> <p>ISOBUTANE New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance</p> <p>ISOPROPYL ALCOHOL New Jersey - Workplace Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance</p> <p>PROPANE New Jersey - Workplace Hazard; New Jersey - Environmental Hazard; New Jersey - Special Hazard; Pennsylvania - Workplace Hazard; Massachusetts - Hazardous Substance; New York City - Hazardous Substance</p> | |
|---|--|

| | | | | | | | | | | |
|--|---|--------|---|--------------|---|------------|---|---------------------|---|--|
| <p>NFPA</p>  | <p>HMIS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">HEALTH</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">FLAMMABILITY</td> <td style="text-align: center;">4</td> </tr> <tr> <td style="text-align: center;">REACTIVITY</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">PERSONAL PROTECTION</td> <td style="text-align: center;">A</td> </tr> </table> | HEALTH | 1 | FLAMMABILITY | 4 | REACTIVITY | 1 | PERSONAL PROTECTION | A | |
| HEALTH | 1 | | | | | | | | | |
| FLAMMABILITY | 4 | | | | | | | | | |
| REACTIVITY | 1 | | | | | | | | | |
| PERSONAL PROTECTION | A | | | | | | | | | |

| | |
|--|--|
| <p>16. Other Information</p> <p><u>Revision/Preparer Information</u> This MSDS Supercedes A Previous MSDS Dated: 11/13/2000</p> | |
|--|--|

| | |
|--|--|
| <p>Disclaimer</p> <p>Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).</p> <p>Chase_Products_Co.</p> | |
|--|--|

Printed Using MSDS Generator™ 2000