

OSHA HAZARD COMMUNICATION STANDARD
HAZARDOUS FINISHED GOODS
PERM WAVE NEUTRALIZERS/BONDING LOTIONS

MSDS #99-027

REDKEN CONDITIONED CURL ACTIVATOR
REDKEN CONDITIONED CURL BONDING LOTION
REDKEN CREATIVE CURL BONDING LOTION FOR FINE/LIMP,NORMAL/RESISTENT HAIR-EUROPE

[REDACTED]
REDKEN DAY INTO NIGHT BONDING LOTION-NORMAL
REDKEN DAY INTO NIGHT BONDING LOTION-TINTED

[REDACTED]
REDKEN INNER SECRET BONDING LOTION

[REDACTED]
[REDACTED]
[REDACTED]
REDKEN VECTOR BONDING LOTION

[REDACTED]
REDKEN VECTOR PLUS EXTRA BODY BONDING LOTION
REDKEN VECTOR PLUS PERMANENT WAVE BONDING LOTION

[REDACTED]
REDKEN VERTICAL PERMANENT WAVE NEUTRALIZING LOTION

Material Safety Data Sheet
May be used to comply with

U.S. Department of Labor
Occupation Safety and Health Administration

#99-027

OSHA's Hazard Communication Standard
29 CFR 1910.1200. Standard must be
consulted for specific requirements

(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY

Perm Wave Neutralizers/Bonding Lotions

*Note: Blank spaces are not permitted. If any item is not applicable, or no
information is available, the space must be marked to indicate that.*

Section I

| | |
|--|--|
| Manufacturer's Name L'Oreal USA Products, Inc. | Emergency Telephone Number (732) 499-2990 |
| Address (Number, Street, City, State, and ZIP Code) 2400 U.S. Route 1 North | Telephone Number For Information (732) 940-4612 |
| North Brunswick, NJ 08902 | Date Prepared June 26, 2000 |
| | Signature of Preparer (optional) GCD |

Section II - Hazardous Ingredients/Identity Information

| Hazardous Components (Specific Chemical Identity; Common Name(s)) | OSHA PEL | ACGIH TLV | Other Limits Recommended | % (optional) |
|---|----------|-----------|--------------------------|--------------|
| Hydrogen Peroxide | 1 ppm | | | <3% |

Section III - Physical/Chemical Characteristics

| | | | |
|--|--------|---|-----|
| Boiling Point | ~212°F | Specific Gravity (H2O = 1) | ~1 |
| Vapor Pressure (mm Hg) | N/A | Melting Point | N/A |
| Vapor Density (AIR = 1) | N/A | Evaporation Rate (Butyl Acetate = 1) | <1 |
| Solubility in Water Miscible pH = 2.5-3.5 | | | |
| Appearance and Odor Clear to white thin liquid with a faint odor. | | | |

Section IV - Fire and Explosion Hazard Data

| | | | |
|--|--------------------------|------------|------------|
| Flash Point (Method Used) >200°F (closed cup) | Flammable Limits None | LEL N/A | UEL N/A |
|--|--------------------------|------------|------------|

Extinguishing Media

Use media appropriate for materials actually involved in the fire.

Special Fire Fighting Procedures

Upon decomposition, peroxides yield oxygen and may thereby stimulate the combustion of flammable and combustible materials. Extinguish fires with media appropriate for the burning material.

Unusual Fire and Explosion Hazards

Caution: Oxidizer. Residual product on towels, sponges, or mops may cause fire. Rinse towels thoroughly before disposal. Rinse sponges and mops thoroughly before storage.

Section V - Reactivity Data

#99-027

| | | | | |
|-----------|----------|---|---------------------|---|
| Stability | Unstable | | Conditions to Avoid | Avoid contact with iron, zinc, and reducing agents. |
| | Stable | X | | |

Incompatibility (Materials to Avoid)

Organic compounds (including flammables and combustibles), iron, zinc, and reducing agents.

Hazardous Decomposition or Byproducts

None known.

| | | | | |
|--------------------------|----------------|---|---------------------|-------------|
| Hazardous Polymerization | May Occur | | Conditions to Avoid | None known. |
| | Will Not Occur | X | | |

Section VI - Health Hazard Data

| | | | |
|--------------------|-------------|-------|-------------|
| Route(s) of Entry: | Inhalation? | Skin? | Ingestion? |
| | Yes | Yes | Not likely. |

Health Hazards (Acute and Chronic)

May cause skin and severe eye irritation. Harmful if swallowed. May cause severe irritation of gastric mucous membranes if swallowed.

| | | | |
|------------------|------|------------------|-----------------|
| Carcinogenicity: | NTP? | IARC Monographs? | OSHA Regulated? |
| | No | No | No |

Signs and Symptoms of Exposure

Irritation of skin, eyes, and/or mucous membranes.

Medical Conditions Generally Aggravated by Exposure

None known.

Emergency and First Aid Procedure

If swallowed, drink one or two glasses of water or milk. Call a physician, hospital emergency room, or poison control center immediately. Do not induce vomiting. Get medical attention. If in eyes, flush with water for at least 15 minutes and get medical attention. If on skin, flush with water, then wash with soap and plenty of water. Consult a physician if irritation occurs.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

For small spills, wipe up with paper towels or a sponge. Wash area with water. Rinse paper towels, sponges, or mops thoroughly prior to disposal or storage. For large spills, dike and contain the free liquid. Use absorbant material to solidify spill and then place in proper containers for disposal.

Waste Disposal Method

Although dilute (<8%) hydrogen peroxide solutions are not regulated as hazardous wastes under RCRA, physical and/or chemical deactivation/degradation of the peroxide solution is the recommended method of treatment and disposal for these products.

Precautions to be Taken in Handling and Storage

Do not use or store with or near fuels, solvents, or other organic materials. Avoid iron, zinc, and reducing agents. Store in a cool place away from direct sunlight. Keep out of reach of children.

Other Precautions

For external use only. Use only as directed.

Section VIII - Control Measures

#99-027

Respiratory Protection (Specify Type)

None required for product use. For handling bulk quantities, use a NIOSH-approved respirator if peroxide TLV is exceeded. For spills or fires, wear a self-contained breathing apparatus.

| | | | |
|-------------|---------------------|-------------|---------|
| Ventilation | Local Exhaust | Recommended | Special |
| | Mechanical(General) | Acceptable | Other |

Protective Gloves

Plastic or rubber.

Other Protective Clothing or Equipment

Safety glasses with side shields (or full face shield) and protective clothing are recommended for manufacturing operations. Safety shower and eyewash station should be immediately available.

Work/Hygienic Practices

OSHA hazard classification: Oxidizer, irritant, slightly toxic

DOT classification: Bulk - Not regulated

Finished Product - Not regulated.
